

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	59408	execut\$ near5 order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 11:53
S2	46	execut\$ near5 order same plug adj in	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:01
S3	291	execut\$ near5 order same software.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:01
S4	162	execut\$ near2 order same software.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:01
S5	17	execut\$ near2 order same software.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:05
S6	10	execut\$ adj order same software.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:05
S7	58	execut\$ adj order same software.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:06
S8	18	execut\$ adj order same software same numer\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:07

EAST Search History

S9	6	execut\$ adj order same software near10 static	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:16
S10	2131	execut\$ adj order same number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:16
S11	36	execut\$ adj order same decimal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:17
S12	2705	execut\$ adj order.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:17
S13	10	execut\$ adj order.ab. and ("719". clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:19
S14	20	execut\$ adj order.ab. and ("718". clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:21
S15	2768	software near order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:21
S16	12031	program near order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:21

EAST Search History

S17	308	program near order and ("719" or "718").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:21
S18	10	program near order.ab. and ("719" or "718").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:22
S19	19	(program or application or module) near order.ab. and ("719" or "718").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:22
S20	9	S19 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:24
S21	2362	(sequencing or sequence) near5 (software or program or application or module) same insert	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:25
S22	54	(sequencing or sequence) near5 (software or program or application or module) same insert.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:27
S23	4321	execution adj order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:27
S24	220	execution adj order.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:27

EAST Search History

S25	9	execution adj order.ti. and assign	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:38
S26	2	"6647473".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:34
S27	38	execution adj order same assign	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:42
S28	270	execution adj order same assign\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:42
S29	40	execution adj order same assigning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:45
S30	220	execution adj order.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:45
S31	0	execution adj order.ti. and (700-719.clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:45
S32	0	execution adj order.ti. and ("718, 719".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:46

EAST Search History

S33	1	execution adj order.ti. and ("718". clas. or "719".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:46
S34	3	execution near order.ti. and ("718". clas. or "719".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:47
S35	30	execution near order.ab. and ("718".clas. or "719".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:51
S36	31	order near (program or application or process or module).ab. and ("718".clas. or "719".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:10
S37	53	order near numerical and ("718". clas. or "719".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:21
S38	391	order near software same execut\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:21
S39	1240	order near2 software same execut\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:21
S40	31	order near software same execut\$. ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:24

EAST Search History

S41	21	ordering near software.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:25
S42	91	sequence near software.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:25
S43	23	sequence near software.ab. same execut\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:55
S44	1	numbering near2 software same executing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:56
S45	0	numbering near2 software same execution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:55
S46	582	number near2 software same executing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:56
S47	514	number near2 software same execution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:56
S48	64	number near2 software same execution.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:01

EAST Search History

S49	68	number near2 software same execut\$ near5 first	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:01
S50	671	number same software same execut\$ near5 first	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:01
S51	39	number same software same execut\$ near5 first.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:04
S52	5329	(software or program or processor or object or module or component) same execut\$ near5 order same first	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:04
S53	453	(software or program or processor or object or module or component) same execut\$ near5 order same first.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:04
S54	13	(software or program or processor or object or module or component) same execut\$ near5 order same first.ab. and ("718" or "719").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:10
S55	343	(software or program or processor or object or module or component) same execut\$ near5 order same first and ("718" or "719").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:10
S56	70	(software or program or processor or object or module or component) same execut\$ near5 order same first same (number or numeric or numerical) and ("718" or "719"). clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:26

EAST Search History

S57	0	(execut\$ near2 order same unassigned) and ("718" or "719"). clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:27
S58	0	(execut\$ near2 order same unassign\$) and ("718" or "719"). clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:27
S59	2	(execut\$ near2 sequence same unassign\$) and ("718" or "719"). clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:27
S60	0	(execut\$ near2 sequence same unallocat\$) and ("718" or "719"). clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:27
S61	0	(execut\$ near2 sequence same nonallocat\$) and ("718" or "719"). clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:28
S62	0	(execut\$ near2 order same nonallocat\$) and ("718" or "719"). clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:28
S63	1	(execut\$ near2 order same unallocat\$) and ("718" or "719"). clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:28
S64	2220	execut\$ near2 order and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:42

EAST Search History

S65	57	execut\$ near2 order.ab. and "709". clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:53
S66	14	"6148336".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:53
S67	1116	numerical near2 execut\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 09:58
S68	28	numerical near2 execut\$ adj order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:13
S69	5	numeric near2 execut\$ adj order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:08
S70	32	numerical near5 execut\$ adj order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:13
S71	57	numerical near5 execut\$ near order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:22
S72	404	numerical near2 execut\$.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:22

EAST Search History

S73	28	allocat\$ near2 number same execut\$ near order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:26
S74	104	assign\$ near2 number same execut\$ near order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:26
S75	99	S74 not S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:40
S76	24	execut\$ near order same float	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:42
S77	1	execut\$ near order same (insert or inserting) same numeric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:43
S78	13	execut\$ near order same (add) same numeric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:43
S79	43	execut\$ near order.ab. same (numeric or numerical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:50
S80	231	execut\$ near order same (numeric or numerical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:54

EAST Search History

S81	188	S80 not S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:51
S82	83	execut\$ near order same decimal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 10:54